10/814937 " "



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.

6,980,908 B2

Issued

December 27, 2005

Certificate

Patentee

JAN 1 0 2006

Martin M. McKewon, et al

of Correction

For

Method of Forecasting Precipitation for Specific

Geographic Locations

Our Docket No.

20030392.ORI

Customer No.

23595

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR APPLICANTS' MISTAKE (37 CFR 1.323)

Commissioner for Patents P.O. BOX 1450 Alexandria, VA 22313-1450

Attention:

Decision and Certificate of Correction Branch

of the Patent Issue Division

Sir:

It has been noted that there are two errors in the above-identified patent as more fully described below and occurred in good faith and correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination and a Certificate of Correction is requested.

Attached hereto is PTO/SB/44 (Form PTO-1050) suitable for printing.

01/09/2006 MBELETE1 00000020 6980908

01 FC:1811

100.00 OP

The first error occurred in Claim 1, column 9, line 20 in which the word "with" should read "within". The second error occurred in Claim 6, column 10, line 34 in which the word "with" should read "within".

Please send the certificate to the undersigned attorney of record.

Enclosed is a check in the amount of \$100.00 to cover the cost of a Certificate of Correction under 37 CFR 1.323.

Additional charges, if any, may be taken from the standing Deposit Account No. 08-1265 of the undersigned attorneys of record.

Dated: January 3, 2006

Respectfully submitted,

NIKOLAI & MERSEREAU, P.A.

Thomas J. Nikolai, Reg. No. 19,283

Attorneys for Patentee 820 International Centre

900 Second Avenue South

Minneapolis, Minnesota 55402

Telephone: (612) 339-7461

Attachments

INSTRUCTIONS: This Form is for use in preparing Certificate of Correction copy for printing by the Patent and Trademark Office.

- Return both parts of this form. DO NOT FURNISH PHOTOCOPIES FOR PRINTING.
- Type within the borders printed on the form.
- Use a typewriter that will give clean, clear impressions. Unsuitable copy will have to be retyped and therefore delay printing. Use a typewriter with a carbon ribbon if possible. If a fabric ribbon typewriter is used, the ribbon should be medium inked and in good condition. Changes are best made with white correction fluid.
- If necessary, stable in the area indicated in the left margin, ONLY.
- Type mailing address and patent number below within the perforated area.
- Indicate additional printed copies requested 50¢ per page.
- A two-inch blank space should be left at the bottom of the last page of the form for the placement of the signature of the Attesting Officer.

DETACH HERE BEFORE MAILING BOTH COPIES OF THE TYPED CERTIFICATE TO THE PATENT AND TRADEMARK OFFICE

Staple Here Only ! PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

6,980,908

DATED

December 27, 2005

INVENTOR(S):

Martin M. McKewon, et al

It is certified that error appears in the above-indentified patent and that said Letters Patent is hereby corrected as shown below:

Claim 1, column 9, line 20, the word "with" should read "within".

Claim 6, column 10, line 34, the word "with" should read "within".

INSTRUCTIONS: This Form is for use in preparing Certificate of Correction copy for printing by the Patent and Trademark Office.

- Return both parts of this form. DO NOT FURNISH PHOTOCOPIES FOR PRINTING.
- Type within the borders printed on the form.
- Use a typewriter that will give clean, clear impressions. Unsuitable copy will have to be retyped and therefore delay printing. Use a typewriter with a carbon ribbon if possible. If a fabric ribbon typewriter is used, the ribbon should be medium inked and in good condition. Changes are best made with white correction fluid.
- If necessary, stable in the area indicated in the left margin, ONLY.
- Type mailing address and patent number below within the perforated area.
- Indicate additional printed copies requested 50¢ per page.
- A two-inch blank space should be left at the bottom of the last page of the form for the placement of the signature of the Attesting Officer.

DETACH HERE BEFORE MAILING BOTH COPIES OF THE TYPED CERTIFICATE TO THE PATENT AND TRADEMARK OFFICE

taple ere nly ! PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

6,980,908

DATED

December 27, 2005

INVENTOR(S)

Martin M. McKewon, et al

It is certified that error appears in the above-indentified patent and that said Letters Patent is hereby corrected as shown below:

Claim 1, column 9, line 20, the word "with" should read "within".

Claim 6, column 10, line 34, the word "with" should read "within".